

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	121	("713"/\$.ccls. or "726"/\$.ccls. or "380"/\$.ccls.) and (((encod\$ or decod\$ or \$crypt\$ or \$cipher\$) adj1 (data or message\$ or frame\$ or piece\$)) with (location\$ or url\$ or address\$ or designat\$) with (software or code or executable or binary or algorithm\$ or instruction\$)) and @ad<"19990426"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 11:24
L3	121	("713"/\$.ccls. or "726"/\$.ccls. or "380"/\$.ccls.) and (((encod\$ or decod\$ or \$crypt\$ or \$cipher\$) adj1 (data or message\$ or frame\$ or piece\$)) with (location\$ or url\$ or "universal resource" or address\$ or designat\$) with (javascript or java or pseudocode or software or code or executable or binary or algorithm\$ or instruction\$)) and @ad<"19990426"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 11:28
L4	0	("713"/\$.ccls. or "726"/\$.ccls. or "380"/\$.ccls.) and (((encod\$ or decod\$ or \$crypt\$ or \$cipher\$) adj1 (data or message\$ or frame\$ or piece\$)) with (location\$ or url\$ or "universal resource" or address\$ or designat\$) with (javascript or java or pseudocode)) and @ad<"19990426"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 11:30
L5	19	("713"/\$.ccls. or "726"/\$.ccls. or "380"/\$.ccls.) and (((encod\$ or decod\$ or \$crypt\$ or \$cipher\$) adj1 (data or message\$ or frame\$ or piece\$)) with (location\$ or url\$ or "universal resource" or address\$ or designat\$) and (javascript or java or pseudocode)) and @ad<"19990426"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 14:24
L6	0	("713"/\$.ccls. or "726"/\$.ccls. or "380"/\$.ccls.) and (((encod\$ or decod\$ or \$crypt\$ or \$cipher\$) adj1 (data or message\$ or frame\$ or piece\$)) with (location\$ or url\$ or "universal resource" or address\$ or designat\$) and (javascript or java or pseudocode)) and @ad<"19990426"	US-PGPUB	OR	OFF	2006/05/10 14:21

## EAST Search History

L7	92	("713"/\$.ccls. or "726"/\$.ccls. or "380"/\$.ccls.) and (((encod\$ or decod\$ or \$crypt\$ or \$cipher\$) adj1 (data or message\$ or frame\$ or piece\$)) with (location\$ or url\$ or "universal resource" or address\$ or designat\$) and (javascript or java or pseudocode))	US-PGPUB	OR	OFF	2006/05/10 14:22
L8	412	(((encod\$ or decod\$ or \$crypt\$ or \$cipher\$) adj1 (data or message\$ or frame\$ or piece\$)) with (location\$ or url\$ or "universal resource" or address\$ or designat\$) and (javascript or java or pseudocode))	US-PGPUB	OR	OFF	2006/05/10 14:22
L9	75	(((encod\$ or decod\$ or \$crypt\$ or \$cipher\$) adj1 (data or message\$ or frame\$ or piece\$)) with (location\$ or url\$ or "universal resource" or address\$ or designat\$) and (javascript or java or pseudocode)) and @ad<"19990426"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 14:25
S1	1438	713/201.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/05/13 11:12
S2	36	713/201.ccls. and 380/277-279.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:30
S3	1	key adj1 (delet\$ or eras\$) and one adj0 time adj0 key	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/01/07 11:15
S4	21	one adj0 time adj0 key with generat\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/01/07 11:26
S5	1	track adj1 access and key adj1 generation	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/01/07 11:32
S6	519	key adj0 delet\$	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/01/07 11:34

## EAST Search History

S7	181	(key adj0 delet\$) and key with (logging or record\$)	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/01/07 11:38
S8	91	((key adj0 delet\$) and key with (logging or record\$)) and (encrypt\$ or encod\$)	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/01/07 11:38
S9	863	key adj1 (delet\$ or eras\$)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/01/07 11:42
S10	294	key adj1 (delet\$ or eras\$) and distribut\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/01/07 11:47
S11	112	(key adj1 (delet\$ or eras\$) and distribut\$) and encrypt\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/01/07 11:51
S12	8	(key adj1 manage\$) and encrypt\$ and (key adj1 policy) and (key with eras\$ or delet\$)	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/01/08 15:44
S13	7	(key adj1 manage\$) and encrypt\$ and (key adj1 policy) and (key with (eras\$ or delet\$))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/01/08 15:46
S14	0	(key adj1 server) and encrypt\$ and (key adj1 policy) and (key with (eras\$ or delet\$))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/01/08 15:47
S15	4	(key adj1 server) and encrypt\$ and (security adj1 policy) and (key with (eras\$ or delet\$))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/01/08 16:32
S16	2	"5958005".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/01/08 16:32
S17	122	network adj1 (node or workstation or computer) and file with email	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/01/09 09:48

## EAST Search History

S18	0	network adj1 (node or workstation or computer) and file with email with backup	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/01/09 09:49
S19	13	network adj1 (node or workstation or computer) and (file with email) and backup	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/01/09 13:22
S20	153	key adj1 distribut\$ adj1 (server or center) and (encrypt\$ or encipher\$)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/05/12 16:19
S21	2	session adj0 key adj1 distribut\$ adj1 (server or center) and (encrypt\$ or encipher\$)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/01/09 15:37
S22	2	"6215877".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/01/10 09:36
S23	2	"5491750".pn..pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/01/10 09:36
S24	293	709/207.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/05/12 16:18
S25	0	709/207.ccls. and key adj1 distribut\$ adj1 (server or center) and (encrypt\$ or encipher\$)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/05/13 11:12
S26	12	709/207.ccls. and (message or data or "electronic mail" or e?mail) with expiration	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/05/13 11:18
S27	653	713/202.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/05/13 11:12

## EAST Search History

S28	3	713/202.ccls. and key adj1 distribut\$ adj1 (server or center) and (encrypt\$ or encipher\$)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/05/13 11:13
S29	15	713/202.ccls. and (message or data or "electronic mail" or e?mail) with expiration	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2003/05/13 11:22
S30	53	713/200.ccls. and (message or data or "electronic mail" or e?mail) with expiration	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 14:36
S31	2	"6625734".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 16:51
S32	0	"6625734".pn. and (java\$ or basic or script\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 16:51
S33	277	(713/201.ccls. or 380/277-279.ccls.) and ((key or secret) adj3 (server or archiv\$ or center) and (java\$ or xml or script\$ or basic) and (www or web))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:34
S34	268	(713/201.ccls. or 380/277-279.ccls.) and ((key or secret) adj3 (server or archiv\$ or center) and (java\$ or xml or script\$ or basic) and (www or web) and (\$crypt\$ or \$cipher\$))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:40
S35	184	(713/201.ccls. or 380/277-279.ccls.) and ((key or secret) adj3 (server or archiv\$ or center) and (java\$ or xml or script\$) and (www or web) and (\$crypt\$ or \$cipher\$))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:41
S36	129	(713/201.ccls. or 380/277-279.ccls.) and ((key or secret) adj3 (server or archiv\$ or center) and (java\$) and (www or web) and (\$crypt\$ or \$cipher\$))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:42

## EAST Search History

S37	54	(713/201.ccls. or 380/277-279.ccls.) and ((key or secret) adj3 (server or archiv\$ or center) and (java\$) and (www or web) and (\$crypt\$ or \$cipher\$) and (gui or (graphic\$ adj0 user)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:47
S38	7	(713/201.ccls. or 380/277-279.ccls.) and ((key or secret) adj3 (server or archiv\$ or center) and (javascript) and (www or web) and (\$crypt\$ or \$cipher\$) and (gui or (graphic\$ adj0 user)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 13:32
S39	16	("713"/\$.ccls. or "380"/\$.ccls.) and ((key or secret) adj3 (server or archiv\$ or center) and (javascript) and (www or web) and (\$crypt\$ or \$cipher\$) and (gui or (graphic\$ adj0 user)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:45
S40	28	(713/201.ccls. or 380/277-279.ccls.) and ((key or secret) adj3 (server or archiv\$ or center) and (java\$) and (www or web) and (\$crypt\$ or \$cipher\$) and (gui or (graphic\$ adj0 user)) and e?mail)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 13:26
S41	40	(713/258.ccls. or 713/168-201.ccls. or 380/258.ccls. or 380/277-279.ccls.) and ((key or secret) adj3 (server or archiv\$ or center) and (java\$) and (www or web) and (\$crypt\$ or \$cipher\$) and (gui or (graphic\$ adj0 user)) and e?mail)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 13:28
S42	14	(713/258.ccls. or 713/168-201.ccls. or 380/258.ccls. or 380/277-279.ccls.) and ((key or secret) adj3 (server or archiv\$ or center) and (javascript) and (www or web) and (\$crypt\$ or \$cipher\$) and (gui or (graphic\$ adj0 user)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 17:16
S43	11780	("713"/\$.ccls. or "726"/\$.ccls. or "380"/\$.ccls.) and (((encod\$ or decod\$ or \$crypt\$ or \$cipher\$) adj2 (data or message\$ or frame\$ or piece\$) and (location\$ or url\$ or address\$ or designat\$) and (software or code or executable or binary or algorithm\$ or instruction\$))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 17:35

## EAST Search History

S44	2186	("713"/\$.ccls. or "726"/\$.ccls. or "380"/\$.ccls.) and (((encod\$ or decod\$ or \$crypt\$ or \$cipher\$) adj2 (data or message\$ or frame\$ or piece\$)) with (location\$ or url\$ or address\$ or designat\$) and (software or code or executable or binary or algorithm\$ or instruction\$))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 17:37
S45	1536	("713"/\$.ccls. or "726"/\$.ccls. or "380"/\$.ccls.) and (((encod\$ or decod\$ or \$crypt\$ or \$cipher\$) adj1 (data or message\$ or frame\$ or piece\$)) with (location\$ or url\$ or address\$ or designat\$) and (software or code or executable or binary or algorithm\$ or instruction\$))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 17:39
S46	631	("713"/\$.ccls. or "726"/\$.ccls. or "380"/\$.ccls.) and (((encod\$ or decod\$ or \$crypt\$ or \$cipher\$) adj1 (data or message\$ or frame\$ or piece\$)) with (location\$ or url\$ or address\$ or designat\$) and (software or code or executable or binary or algorithm\$ or instruction\$)) and @ad<"19990426"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 11:10